INDEX TO VOLUME 18

A

Page

Abrasion of yarns, RP993 559
Absorptiveness of paper, RP959 41
Accelerated weathering of asphalt shingles, RP1002 669
Acetates of normal aliphatic alcohols, RP989 499
Acetic acid, use in separating mixtures of paraffin and naphthene hydrocarbons, RP967 129
Acid corrosion of stainless steel, RP963 69
Acidity, effect on electrodeposition of iron, RP991 535
Aircraft finishes, resin, permeability to moisture, RP974 235
Air, performance of water current meters in, RP981 351
Airplane camera lens, testing, RP984 449
Alcohols, normal aliphatic, boiling points and densities of acetates, RP989 499
Aldoses, alpha and beta, bromine oxidation and mutarotation measurements, RP969 141
Alloys, aluminum, anodic oxidation {RP961 53 / RP975 251
Alloys, magnesium, anodic coating of, RP964 83
Alpha cellulose in pulps and papers, RP979 333
Alumina, lime, ferric oxide system, RP987 475
Aluminum, anodic oxidation {RP961 53 / RP975 251
Aluminum, atomic weight, RP957 1
Aluminum coatings, corrosion, RP982 361
Anodic oxidation of aluminum alloys {RP961 53 / RP975 251
Anodic treatment of magnesium alloys, RP964 83
Appliances, gas, effect of depth of ports, RP988 485
Asbestos diaphragms in iron deposition, RP991 535
Asphalt shingles, weathering, RP1002 669
Atomic dimension and optical rotation, RP978 315
Atomic weight of aluminum, RP957 1

B

Beij, K. Hilding, Garbis H. Keulegan and, Pressure losses for fluid flow in curved pipes, RP965 89
Beta cellulose in pulps and papers, RP979 333
Bibber, Leon C., George A. Ellinger and, Laboratory corrosion tests of welded low-carbon stainless steel, RP963 69
Binary compounds, composition, RP995 585
Bleakney, William M., Compensation of strain gages for vibration and impact, RP1005 723
Bloom gloss, absence of, RP958 19
Boiling-point–composition diagram dioxane-water system, RP985 461
Boiling points of acetates of normal aliphatic alcohols, RP989 499
Borate-lead system, RP995 585
Branham, Joseph R., Saturation by water in gas analysis compensators, RP962 59
Braun, Dirk H., Optical rotation and atomic dimension for the four optically active 1-halogeno-2-methylbutanes, RP978 315
Brenner, Abner, Magnetic method for measuring the thickness of nickel coatings on nonmagnetic base metals, RP994 565
Brick and tile walls, compressive strength, RP972 215
Brickwedde, Ferdinand G., Russell B. Scott, Francis B. Silsbee and, A new phenomenon in the superconducting transition of tantalum and of tin, RP977 295
Bright, Harry A., Determination of sulphur occurring as sulphide in portland cement, RP968 137
——, *Herbert C. Vacher, John G. Thompson and,* Cooperative study of methods for the determination of oxygen in steel, RP976 259
Bromine oxidation of heptoses, RP990 505
Bromine oxidation of sugars, RP969 141

Page

Brownmiller, Lorrin T., William Lerch and, Method for approximating the glass content of portland cement clinker, RP997 609
Bunting, E. N., R. F. Geller and, The system PbO–B_2O_3, RP995 585
Burette for testing absorptiveness of paper, RP959 41
Burners, gas, effect of depth of ports, RP988 485
n-Butyl acetate, boiling point and density, RP989 499
Buzzard, R. W., and J. H. Wilson, Anodic coating of magnesium alloys, RP964 83
——, *and J. H. Wilson,* Deterioration of chromic acid baths used for anodic oxidation of aluminum alloys, RP961 53
——, Anodizing of aluminum alloys in chromic acid solutions of different concentrations, RP975 251

C

Calorimeter for saturated steam and water, RP983 389
Calorimetric measurements of heats of combustion of paraffin hydrocarbons, RP966 115
Calorized steel, corrosion, RP982 361
"Camera finish" at the race track, RP986 467
Camera for testing lenses, RP984 449
Camera lenses, testing, RP984 449
Carboloy, thermal expansion, RP960 47
Carson, F. T., A microburette for testing the absorptiveness of thin paper, RP959 41
Case, Frank A., Irvine C. Gardner and, Precision camera for testing lenses, RP984 449
Cellulose, in pulps and papers, RP979 333
Cement clinker, glass content, RP997 609
Cement concretes, stress deformation, RP970 195
Cemented tungsten carbide, thermal expansion, RP960 47
Cement, portland, phase relations, RP987 475
Cement, sulphide sulphur in, RP968 137
Ceramic glasses and glazes, RP995 585
Chromic acid anodizing baths {RP961 53 / RP975 251
Clay brick and tile walls, RP972 215
Cleaves, Harold E., and John G. Thompson, Preparation of iron oxide as a source of high-purity iron, RP996 595
Clinker, portland cement, glass content, RP997 609
Coatings, nonbituminous, soil corrosion of, RP982 361
Cobalt-tungsten carbide mixtures, thermal expansion, RP960 47
Combustion as influenced by gas burner ports, RP988 485
Combustion, heats of, paraffin hydrocarbons, RP966 115
Compensators, gas analysis, RP962 59
Compressibility of fused-quartz glass, RP1003 683
Concrete, effect of temperature on stress-deformation relation, RP970 195
Configuration of pyranoses, RP990 505
Copper sulphate–sulphuric acid corrosion of stainless steel, RP963 69
Corrosion of aluminum {RP961 53 / RP975 251
Corrosion of magnesium alloys, RP964 83
Corrosion of underground structures, RP982 361
Corrosion tests of stainless steel, RP963 69
Cotton yarns, effect of sizing, RP993 559
Critical state of water, RP983 389
Crocidolite diaphragms in iron deposition, RP991 535
Crystal behavior of hydrocarbons, RP1000 639
Current meters, performance, RP981 351
Curve fitting with high precision, RP971 205
Cystine in oxidized wool, RP998 623

D

Page

Densities and boiling points of normal aliphatic alcohols, RP989 499
Density, effect on water current meters, RP981 351
Density of distilled water as a function of temperature, RP971 205
Deterioration of chromic acid baths {RP961 53 / RP975 251}
Deterioration of leather, RP1004 713
Diaphragms, use in electrodeposition of iron, RP991 535
Dioxane-water system, boiling-point—composition diagram, RP985 461
Distilled water, density and refractive index, RP971 205
Distinctness-of-reflected-image gloss, RP958 19
Drop-measuring apparatus, RP959 41

E

Eiseman, John H., and Francis A. Smith, Effect of the depth of drilled ports on the limits of operation of domestic gas burners, RP988 485
Elasticity of concrete, RP970 195
Electrodeposition baths {RP961 53 / RP964 83 / RP975 251 / RP991 535}
Electrodeposition of iron, RP991 535
Electrodeposition of rhenium, RP999 629
Electrodeposits, measurement of thickness, RP994 565
Ellinger, George A., and Leon C. Bibber, Laboratory corrosion tests of welded low-carbon stainless steel, RP963 69
Elongation of yarns at rupture, RP993 559
Emerson, Walter B., Compressibility of fused-quartz glass, RP1003 713
Equilibria in lead-borate system, RP995 585
Ethyl acetate, boiling point and density, RP989 499
Expansion of Carboloy, RP960 47
Expansion of cemented tungsten carbide, RP960 47
Expansion of tungsten carbide-cobalt mixtures, RP960 47
Ewing, Scott P., Kirk H. Logan and, Soil-corrosion studies, 1934. Field tests of nonbituminous coatings for underground use, RP982 361

F

Fabrics, aircraft, permeability to moisture of resin finishes, RP974 235
Ferric nitrate, purification, RP996 595
Ferric oxide, lime, alumina system, RP987 475
Ferric oxide relations in cement clinker, RP987 475
Ferrous chloride baths, electrodeposition of iron in, RP991 535
Fluid flow, pressure losses in curved pipes, RP965 89
Fractionation of petroleum, RP967 129
Fused-quartz glass, compressibility, RP1003 683

G

Gages, strain, compensation of, for vibration and impact, RP1005 723
Gallup, Braxton E., Hubert R. Snoke and, Accelerated weathering tests of mineral-surfaced asphalt shingles, RP1002 669
Galvanized steel, corrosion, RP982 361
Gamma cellulose in pulps and papers, RP979 333
Gardner, Irvine C., and Frank A. Case, Precision camera for testing lenses, RP984 449
——, "Camera finish" at the race track, RP986 467
Gas analysis, RP962 59
Gas burners, effect of depth of ports, RP988 485
Gases in metals, RP976 259
Gas volume measurements, RP962 59
Geib, Martin N. V., Omar C. Moore, Walter T. Schreiber and, Effect of sizing, weaving, and abrasion on the physical properties of cotton yarn, RP993 559
Geller, R. F., and E. N. Bunting, The system PbO–B_2O_3, RP995 585
Gilliland, Theodore R., Samuel S. Kirby, Newbern Smith, and Stephen E. Reymer, Characteristics of the ionosphere and the ionosphere and their application to radio transmission, RP1001 645

Page

Ginnings, D. C., H. F. Stimson, N. S. Osborne and, Calorimetric determination of the thermodynamic properties of saturated water in both the liquid and gaseous states from 100 to 374° C, RP983 389
Glass, compressibility of fused-quartz, RP1003 683
Glass content of portland cement clinker, RP997 609
Glasses and glazes, ceramic, RP995 585
Glazes and glasses, ceramic, RP995 585
Gloss, review of methods of measurement, RP958 19

H

1-Halogeno-2-methylbutanes, optical rotation and atomic dimension, RP978 315
Harris, Milton, and Arthur L. Smith, State of the sulfur in oxidized wool, RP998 623
——, *Ralph T. Mease, and Henry Rutherford*, Reaction of wool with strong solutions of sulfuric acid, RP980 343
Heats of combustion of normal paraffin hydrocarbons, RP966 115
Heuer, Wilson W., Robert T. Leslie and, Study of the crystal behavior of hydrocarbons, RP1000 639
Hidnert, Peter, Thermal expansion of cemented tungsten carbide, RP960 47
Hoffman, James I., and G. E. F. Lundell, Redetermination of the atomic weight of aluminum, RP957 1
Hollow tile walls, compressive strength, RP972 215
Humphreys, Curtis J., William F. Meggers and, Interference measurements of wave lengths in the ultraviolet spectrum of iron, RP992 543
Hunter, Richard S., Methods of determining gloss, RP958 19
Hydraulics, flow in pipe bends, RP965 89
Hydraulics (see water current meters), RP981 351
Hydrocarbons, crystal behavior, RP1000 639
Hydrocarbons, heats of combustion, RP966 115
Hydrocarbons, in petroleum, RP967 129
Hydrochloric acid corrosion of stainless steel, RP963 69
Hydrogen in steel, RP976 259

I

Impact and vibration, compensation of strain gages for, RP1005 723
Interference measurements of wave lengths, RP992 543
Ionosphere, characteristics, RP1001 645
Iron, electrodeposition, RP991 535
Iron oxide, pure, RP996 595
Iron, pure, RP996 595
Iron spectrum measurements, RP992 543
Isbell, Horace S., and William W. Pigman, Bromine oxidation and mutarotation measurements of the alpha- and beta-aldoses, RP969 141
——, Configuration of the pyranoses in relation to their properties and nomenclature, RP990 505

J

Jessup, Ralph S., Heats of combustion of the liquid normal paraffin hydrocarbons from hexane to dodecane, RP966 115

K

Kanagy, Joseph R., Behavior of leather in the oxygen bomb, RP1004 713
Kasper, Charles, Rapid electrodeposition of iron from ferrous chloride baths, RP991 535
Kennelly-Heaviside layer (see ionosphere) RP1001 645
Keulegan, Garbis H., and K. Hilding Beij, Pressure losses for fluid flow in curved pipes, RP965 89
Kirby, Samuel S., Newbern Smith, Stephen E. Reymer, Theodore R. Gilliland and, Characteristics of the ionosphere and their application to radio transmission, RP1001 645
Kline, Gordon M., Permeability to moisture of synthetic resin finishes for aircraft, RP974 235
Knowles, Howard B., G. E. F. Lundell and, A contribution to the chemistry of rhenium RP999 639

L

Page

Launer, Herbert F., Simplified determination of resin in papers and pulps, RP973 227
—, Simplified volumetric determination of alpha, beta, and gamma cellulose in pulps and papers, RP979 333
Lead-borate system, RP995 585
Lead-coated steel, corrosion, RP982 361
Leather, deterioration, RP1004 713
Lenses, method of testing, RP984 449
Lerch, William, and Lorrin T. Brownmiller, Method for approximating the glass content of portland cement clinker, RP997 609
Leslie, Robert T., and Wilson W. Heuer, Study of the crystal behavior of hydrocarbons, RP1000 639
Lime, ferric oxide, alumina system, RP987 475
Liquids, microburette for measuring small drops of, RP959 41
Logan, Kirk H., and Scott, P. Ewing, Soil-corrosion studies, 1934. Field tests of nonbituminous coatings for underground use, RP982 361
Lundell, G. E. F., and Howard B. Knowles, A contribution to the chemistry of rhenium, RP999 629
—, *James I. Hoffman and*, Redetermination of the atomic weight of aluminum, RP957 1

M

Magnesium alloys, anodic coating, RP964 83
Magnetic measurement of thickness of nickel coatings, RP994 565
Mason, Martin A., Galen B. Schubauer and, Performance characteristics of a water current meter in water and in air, RP981 351
Masonry, structural tile, strength of, RP972 215
McMurdie, Howard F., Studies on a portion of the system: CaO–Al_2O_3–Fe_2O_3, RP987 475
Mease, Ralph T., Henry Rutherford, Milton Harris and, Reaction of wool with strong solutions of sulfuric acid, RP980 343
Meggers, William F., and Curtis J. Humphreys, Interference measurements of wave lengths in the ultraviolet spectrum of iron, RP992 543
Metallic coatings for underground structures, RP982 361
Metallic rhenium, oxidation, RP999 629
Metals, acid corrosion tests, RP963 69
Metals, determination of gases in, RP976 259
Metals, measurement of electrodeposits, RP994 565
Metals, protection against corrosion { RP961 ..... 53; RP964 ..... 83; RP975 ..... 251; RP994 565
Meters, water current, performance of, RP981 351
Methyl acetate, boiling point and density, RP989 499
Methylbutanes, 1-halogeno-2-, optical rotation and atomic dimension, RP978 315
Microburette for testing absorbent paper, RP959 41
Mineral-surfaced asphalt shingles, accelerated weathering, RP1002 669
Moisture, permeability of resin finishes to, RP974 235
Moore, Omar C., Martin N. V. Geib, Walter T. Schreiber and, Effect of sizing, weaving, and abrasion on the physical properties of cotton yarn, RP993 559
Mutarotation of sugars { RP969 ..... 141; RP990 505

N

Naphthene hydrocarbons, separation from paraffin hydrocarbons, RP967 129
n-Butyl acetate, boiling point and density, RP989 499
Nickel plating, thickness measurements, RP994 565
Nitric acid corrosion of stainless steel, RP963 69
Nitrogen in steel, RP976 259
n-Propyl acetate, boiling point and density, RP989 499

O

Objective, photographic, method of testing, RP984 449
Optical properties of water, RP971 205
Optical rotation and atomic dimension, RP978 315
Optical rotation of sugar { RP969 ..... 141; RP990 505
Osborne, N. S., H. F. Stimson, and D. C. Ginnings, Calorimetric determination of the thermodynamic properties of saturated water in both the liquid and gaseous states from 100 to 374° C, RP983 389
"Overshoot" phenomenon in tantalum and tin, RP977 295
Oxidation of aluminum alloys { RP961 ..... 53; RP975 251
Oxidation of metallic rhenium, RP999 629
Oxidation of sugars { RP969 ..... 141; RP990 505
Oxidation of wool, RP998 623
Oxygen, effect on leather, RP1004 713
Oxygen in steel, RP976 259

P

Paper, resin content, RP973 227
Papers and pulps, determination of cellulose in, RP979 333
Paper-testing microburette, RP959 41
Paraffin hydrocarbons, heats of combustion, RP966 115
Paraffin hydrocarbons, separation from naphthene hydrocarbons, RP967 129
Parsons, Douglas E., and David Watstein, Compressive strength of structural tile masonry, RP972 215
Permeability to moisture of resin finishes, RP974 235
Perrhenic acid, formation, RP999 629
Petroleum, fractionation, RP967 129
Petroleum hydrocarbons, crystal behavior, RP1000 639
Phase relations of lead-borate equilibria, RP995 585
Phase relations of portland cement, RP987 475
"Photo finish" at the race track, RP986 467
Photographic objective, testing, RP984 449
Pigman, William W., Horace S. Isbell and, Bromine oxidation and mutarotation measurements of the alpha and beta aldoses, RP969 141
Pipe bends, pressure losses for liquid flow in, RP965 89
Pipe, nonbituminous coatings for, RP982 361
Plastic flow of concrete, RP970 195
Prepared roofing, accelerated weathering, RP1002 669
Pressure losses in curved pipes, RP965 89
Printing plates, electrodeposition of iron in production, RP991 535
Protective coating on magnesium alloys, RP964 83
Portland cement clinker, glass content, RP997 609
Portland cement, phase relation, RP987 475
Portland cement, sulphides in, RP968 137
Ports for gas burners, RP988 485
Potentiometric titration of reduced compounds of rhenium, RP999 629
n-Propyl acetate, boiling point and density, RP989 499
Pulps and papers, determination of cellulose in, RP979 333
Pulps, paper, determination of resins in, RP973 227
Pyranoses, configuration as related to properties, RP990 505

R

Race track, "camera finish", RP986 467
Radio measurement, ionosphere, RP1001 645
Reflectance methods of determining gloss, RP958 19
Refractive index of distilled water as a function of temperature, RP971 205
Resin finishes for aircraft, permeability to moisture, RP974 235
Resin in paper, RP973 227
Resolving power of lenses, RP984 449
Reymer, Stephen E., Samuel S. Kirby, Newbern Smith, Theodore R. Gilliland and, Characteristics of the ionosphere and their application to radio transmission, RP1001 645
Rhenium, properties, RP999 629
Roofing, asphalt-shingle, RP1002 669
Rutherford, Henry, Ralph T. Mease, Milton Harris and, Reactions of wool with strong solutions of sulfuric acid, RP980 343

S

Page

Schicktanz, Sylvester T., Separation of constant-boiling mixtures of naphthene and paraffin hydrocarbons by distillation with acetic acid, RP967 129
Schreiber, Walter T., Martin N. V. Geib, and Omar C. Moore, Effect of sizing, weaving, and abrasion on the physical properties of cotton yarn, RP993 559
Schubauer, Galen B., and Martin A. Mason, Performance characteristics of a water current meter in water and in air, RP981 351
Scott, Russell B., Ferdinand G. Brickwedde, Francis A. Silsbee and, A new phenomenon in the superconducting transition of tantalum and of tin, RP977 295
Silsbee, Francis B., Russell B. Scott, and Ferdinand G. Brickwedde, A new phenomenon in the superconducting transition of tantalum and of tin, RP977 295
Sheen, description, RP958 19
Shingles, asphalt, accelerated weathering, RP1002 669
Silt in streams as affecting accuracy of current meters, RP981 351
Sizing of yarns, RP993 559
Smith, Arthur L., Milton Harris and, State of the sulfur in oxidized wool, RP998 623
Smith, Edgar R., and Mieczyslaw Wojciechowski, Boiling-point-composition diagram of the system dioxane-water, RP985 461
——, *Mieczyslaw Wojciechowski and*, Boiling points and densities of acetates of normal aliphatic alcohols, RP989 499
Smith, Francis A., John H. Eiseman and, Effect of the depth of drilled ports on the limits of operation of domestic gas burners, RP988 485
Smith, Newbern, Stephen E. Reymer, Samuel S. Kirby, Theodore R. Gilliland and, Characteristics of the ionosphere and their application to radio transmission, RP1001 645
Snoke, Hubert R., and Braxton E. Gallup, Accelerated weathering tests of mineral-surfaced asphalt shingles, RP1002 669
Soil corrosion of metallic coatings, RP982 361
Spectrum of iron, RP992 543
Specular gloss, description, RP958 19
Stainless steel corrosion tests, RP963 69
Starch sizing on yarns, RP993 559
Steam, thermodynamic properties, RP983 389
Steel, determination of gases in, RP976 259
Steel, stainless, corrosion tests, RP963 69
Stimson, H. F., D. C. Ginnings, N. S. Osborne and, Calorimetric determination of the thermodynamic properties of saturated water in both the liquid and gaseous states from 100 to 374° C, RP983 389
Strain gages, compensation of, for vibration and impact, RP1005 723
Stream measurements with current meters, RP981 351
Strength of structural tile masonry, RP972 215
Stress-deformation relation for concrete, RP970 195
Sugars, preparation, nomenclature, mutarotation, and oxidation {RP969 ..... 141; RP990 ..... 505}
Sulfuric acid, effect on leather, RP1004 713
Sulfuric acid solutions, effect on properties of wool, RP980 343
Sulfur in wool, RP998 623
Sulphides in portland cement, RP968 137
Sulphur in portland cement, RP968 137
Superconducting transition of tantalum and tin, RP977 295
Surface texture, discussion, RP958 19
Sweet-potato starch sizing of yarns, RP993 559
Synthetic resin finishes for aircraft, permeability to moisture, RP974 235
System CaO–Al_2O_3–Fe_2O_3, RP987 475

T

Tannins, stability, RP1004 713
Tantalum, superconducting transition, RP977 295
Taylor, John K., Leroy W. Tilton and, Accurate representation of the refractivity and density of distilled water as a function of temperature, RP971 205
Temperature, effect on stress-deformation of concrete, RP970 195
Thermal expansion of Carboloy, RP960 47
Thermal expansion of cemented tungsten carbide, RP960 47
Thermal expansion of tungsten carbide-cobalt mixtures, RP960 47
Thermodynamic properties of saturated steam and water, RP983 389
Thermomutarotations of sugars, RP969 141
Theuer, Arthur U., Effect of temperature on the stress-deformation of concrete, RP970 195
Thickness of electrodeposits, RP994 565
Thompson, John G., Harold E. Cleaves and, Preparation of iron oxide as a source of high-purity iron, RP996 585
——, *Herbert C. Vacher, and Harry A. Bright*, Cooperative study of methods for the determination of oxygen in steel, RP976 259
Tile walls, compressive strength, RP972 215
Tilton, Leroy W., and John K. Taylor, Accurate representation of the refractivity and density of distilled water as a function of temperature, RP971 205
Tin, superconducting transition, RP977 295
Transition, superconducting, of tantalum and tin, RP977 295
Tungsten carbide-cobalt mixtures, thermal expansion, RP960 47

U

Ultraviolet spectrum of iron, RP992 543
Underground corrosion of metallic coatings, RP982 361

V

Vacher, Herbert C., Harry A. Bright, John G. Thompson and, Cooperative study of methods for the determination of oxygen in steel, RP976 259
Vibration and impact, compensation of strain gages for, RP1005 723
Volumetric gas analysis, RP962 59

W

Walls, brick and tile, compressive strength, RP972 215
Water current meters, performance, RP981 351
Water-dioxane system, boiling-point—composition diagram, RP985 461
Water, distilled, density and refractive index, RP971 205
Water, properties, RP983 389
Water-vapor in gas-analysis compensators, RP962 59
Watstein, David, Douglas E. Parsons and, Compressive strength of structural tile masonry, RP972 215
Wave lengths in spectrum of iron, RP992 543
Weathering of asphalt shingles, RP1002 669
Weaving of yarns, RP993 559
Welded stainless steel, acid corrosion, RP963 69
Welded steel corrosion tests, RP963 69
Wilson, J. H., R. W. Buzzard and, Anodic coating of magnesium alloys, RP964 83
——, *R. W. Buzzard and*, Deterioration of chromic acid baths used for anodic oxidation of aluminum alloys, RP961 53
Wojciechowski, Mieczyslaw, and Edgar R. Smith, Boiling points and densities of acetates of normal aliphatic alcohols, RP989 499
——, *Edgar R. Smith and*, Boiling-point—composition diagram of the system dioxane-water, RP985 461
Wool, effect of solutions of sulfuric acid on properties, RP980 343
Wool, oxidation, RP998 623

Y

Yarns, effect of sizing on properties, RP993 559

Z

Zinc-coated steel, corrosion, RP982 361

Eng.

UNITED STATES DEPARTMENT OF COMMERCE
DANIEL C. ROPER, Secretary
NATIONAL BUREAU OF STANDARDS
Lyman J. Briggs, Director

✦

Journal of Research

of the

National Bureau of Standards

✦

Volume 18

January to June 1937

Research Papers 957 to 1005

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1938

Corrections to be noted in volume 18 of the Journal of Research of the National Bureau of Standards

Page	Line	Now reads in part	Should read
51	Fig. 3	Hidnert and ° Sweeney	Hidnert and Sweeney
158	Line 1 of table 3	-d-Glucose	α-D-Glucose
158	16, column 8	$+9.8x10^{-.00621t}$	$+9.8x10^{-.00362t}$
206	Equation 4	$\overline{B}\ (t-20^{0})$	$\overline{B}\ (t-20)^{2}$
234	Table 5, columns 2 and 5	Amount of coating	Amount of coating or surface-sizing
337	3 from bottom	=83.8%	=84.1%.
348	Table 3		"Acid-combined" should extend over last two columns
372	3, last paragraph	The rates of loss	The losses
373	2 of legend	in mils per year	in mils.
374	10, from bottom	and no pits	and with one exception no pits
375	Table 9, heading column 10.		Pipe *A*
376	Table 9, heading column 10.		Pipe *A*
	Legend fig. 3 facing page 469.	eleventh race	seventh race
486	Footnote 4	CO_2, 14.2%;	CO, 14.2%;
569	12 of paragraph 3	5°	3°.
587	11 from bottom	maximum, 2.15, minimum, 2.20;	minimum, 2.15, maximum, 2.20;
591	5	$PbO.2B_2O_2$	$PbO.2B_2O_3$

RESEARCH PUBLICATIONS

of the

NATIONAL BUREAU OF STANDARDS

1904–1919:

(*a*) *Bulletin of the Bureau of Standards.* A quarterly journal. The *Bulletin* contained all research papers until, in 1910, it was limited to scientific papers; see (*f*) for technical papers.

(*b*) Reprints[1] from (*a*). *Scientific Papers* S1 to S329.

(*c*) Volumes[2] of (*a*), cloth bound, consecutively paged and indexed. Volumes 1 to 14.

1919–1928:

(*d*) *Scientific Papers*[1] *of the Bureau of Standards* (separates continuing series (*b*), nos. S330 to S572).

(*e*) Volumes[2] of (*d*), cloth bound, consecutively paged and indexed. Volumes 15 to 22.

1910–1928:

(*f*) *Technologic Papers*[1] *of the Bureau of Standards*, T1 to T370. Prior to T203 issued only as separates.

(*g*) Volumes[2] of (*f*) cloth bound, beginning with T203, volume designated no. 16, to volume 22; consecutively paged and indexed.

1928:

(*h*) *Bureau of Standards Journal of Research* (issued under new title "*Journal of Research of the National Bureau of Standards*" beginning with the July 1934 number, volume 13, no. 1); (monthly), continuing and consolidating series (*d*) and (*f*). Subscription $2.50 per year, United States, Canada, Cuba, Mexico, Newfoundland, and Republic of Panama; $3.25, elsewhere.

(*i*) Volumes[3] of (*h*), cloth bound (six monthly issues), consecutively paged and indexed.

(*j*) Separates[1] of (*h*) issued under new series title, *Research Papers.*

Circular C24 contains a list of (*a*) to (*g*), inclusive, from 1901 to June 30, 1925, accompanied by a short summary of each paper and a subject index. Two supplements continue this list, and with the Circular, give a complete list of all publications to June 30, 1936. A mimeographed insert furnished with the second supplement brings the list practically up to date. Copies of this Circular and the supplements should be found at Government depository libraries having files of the Bureau publications.

Copies of the separate or complete lists may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D. C., as follows:

Circular C24, 7th edition (covering the period 1901 to June 30, 1925)	25 cents.
1925–1931 Supplement to C24 (covering the period July 1, 1925 to Dec. 31, 1931)	25 cents.
1932–1936 Supplement to C24 (covering the period Jan. 1, 1932 to June 30, 1936)	5 cents.
Complete list	55 cents.

[1] For prices and other information, see Circular C24 and Supplements thereto.

[2] Volumes 1 to 21, $2 each; 22, $3. Volumes 1, 15, 16, 19, and 20 are out of print. Special prices for set, address Superintendent of Documents, Government Printing Office, Washington, D. C.

[3] Volumes 1 to 6, $2.75 each; 7 to 18, $3 each. For shipment to foreign countries, add 50 cents to the cost of the volume.

27449—38

Separate copies of the Research Papers listed herein may be purchased from the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., at 5 cents each (Research Papers 965, 969, 972, 976, 982, 983, 988, 990, 992, 994, 997, 1000, 1001, 1002, 1003, 10 cents), or at a discount of 25 percent for 100 copies or more. Remittance should be in the form of a post-office money order, coupons (issued by the Superintendent of Documents for the specific purpose of purchasing Government publications), express money order, New York draft, or cash at sender's risk.

CONTENTS TO VOLUME 18

Vol. 18—January 1937—No. 1

RP — Page

957. Redetermination of the atomic weight of aluminum. James I. Hoffman and G. E. F. Lundell 1
958. Methods of determining gloss. Richard S. Hunter 19
959. A microburette for testing the absorptiveness of thin paper. F. T. Carson 41
960. Thermal expansion of cemented tungsten carbide. Peter Hidnert. 47
961. Deterioration of chromic acid baths used for anodic oxidation of aluminum alloys. R. W. Buzzard and J. H. Wilson 53
962. Saturation by water in gas analysis compensators. Joseph R. Branham 59
963. Laboratory corrosion tests of welded low-carbon stainless steel. George A. Ellinger and Leon C. Bibber 69
964. Anodic coating of magnesium alloys. R. W. Buzzard and J. H. Wilson 83
965. Pressure losses for fluid flow in curved pipes. Garbis H. Keulegan and K. Hilding Beij 89

Vol. 18—February 1937—No. 2

966. Heats of combustion of the liquid normal paraffin hydrocarbons from hexane to dodecane. Ralph S. Jessup 115
967. Separation of constant-boiling mixtures of naphthene and paraffin hydrocarbons by distillation with acetic acid. Sylvester T. Schicktanz 129
968. Determination of sulphur occurring as sulphide in portland cement. Harry A. Bright 137
969. Bromine oxidation and mutarotation measurements of the alpha- and beta-aldoses. Horace S. Isbell and William W. Pigman 141
970. Effect of temperature on the stress-deformation of concrete. Arthur U. Theuer 195
971. Accurate representation of the refractivity and density of distilled water as a function of temperature. Leroy W. Tilton and John K. Taylor 205
972. Compressive strength of structural tile masonry. Douglas E. Parsons and David Watstein 215
973. Simplified determination of resin in papers and pulps. Herbert F. Launer 227
974. Permeability to moisture of synthetic resin finishes for aircraft. Gordon M. Kline 235

Vol. 18—March 1937—No. 3

975. Anodizing of aluminum alloys in chromic acid solutions of different concentrations. Robert W. Buzzard 251
976. Cooperative study of methods for the determination of oxygen in steel. John G. Thompson, Herbert C. Vacher, and Harry A. Bright 259

RP Page

977. A new phenomenon in the superconducting transition of tantalum and of tin. Francis B. Silsbee, Russell B. Scott, and Ferdinand G. Brickwedde 295
978. Optical rotation and atomic dimension for the four optically active 1-halogeno-2-methylbutanes. Dirk H. Brauns 315
979. Simplified volumetric determination of alpha, beta, and gamma cellulose in pulps and papers. Herbert F. Launer 333
980. Reaction of wool with strong solutions of sulfuric acid. Milton Harris, Ralph Mease, and Henry Rutherford 343
981. Performance characteristics of a water current meter in water and in air. Galen B. Schubauer and Martin A. Mason 351
982. Soil-corrosion studies, 1934. Field tests of nonbituminous coatings for underground use. Kirk H. Logan and Scott P. Ewing 361

Vol. 18—April 1937—No. 4

983. Calorimetric determination of the thermodynamic properties of saturated water in both the liquid and gaseous states from 100 to 374° C. N. S. Osborne, H. F. Stimson, and D. C. Ginnings ... 389
984. Precision camera for testing lenses. Irvine C. Gardner and Frank A. Case 449
985. Boiling-point-composition diagram of the system dioxane-water Edgar R. Smith and Mieczysław Wojciechowski 461
986. "Camera finish" at the race track. Irvine C. Gardner 467
987. Studies on a portion of the system: CaO-Al_2O_3-Fe_2O_3. Howard F. McMurdie 475
988. Effect of the depth of drilled ports on the limits of operation of domestic gas burners. John H. Eiseman and Francis A. Smith 485
989. Boiling points and densities of acetates of normal aliphatic alcohols. Mieczysław Wojciechowski and Edgar R. Smith 499

Vol. 18—May 1937—No. 5

990. Configuration of the pyranoses in relation to their properties and nomenclature. Horace S. Isbell 505
991. Rapid electrodeposition of iron from ferrous chloride baths. Charles Kasper 535
992. Interference measurements of wave lengths in the ultraviolet spectrum of iron. William F. Meggers and Curtis J. Humphreys .. 543
993. Effect of sizing, weaving, and abrasion on the physical properties of cotton yarn. Walter T. Schreiber, Martin N. V. Geib, and Omar C. Moore 559
994. Magnetic method for measuring the thickness of nickel coatings on nonmagnetic base metals. Abner Brenner 565
995. The system PbO–B_2O_3. R. F. Geller and E. N. Bunting 585
996. Preparation of iron oxide as a source of high-purity iron. Harold E. Cleaves and John G. Thompson 595
997. Method for approximating the glass content of portland cement clinker. William Lerch and Lorrin T. Brownmiller 609
998. State of the sulfur in oxidized wool. Milton Harris and Arthur L. Smith 623
999. A contribution to the chemistry of rhenium. G. E. F. Lundell and Howard B. Knowles 629

Vol. 18—June 1937—No. 6

RP Page

1000. Study of the crystal behavior of hydrocarbons. Robert T. Leslie and Wilson W. Heuer 639

1001. Characteristics of the ionosphere and their application to radio transmission. Theodore R. Gilliland, Samuel S. Kirby, Newbern Smith, and Stephen E. Reymer 645

1002. Accelerated weathering tests of mineral-surfaced asphalt shingles. Hubert R. Snoke and Braxton E. Gallup 669

1003. Compressibility of fused-quartz glass at atmospheric pressure. Walter B. Emerson 683

1004. Behavior of leather in the oxygen bomb. Joseph R. Kanagy 713

1005. Compensation of strain gages for vibration and impact. William M. Bleakney 723

Index to volume 18 (January 1937 to June 1937) Research Papers 957 to 1005 731

○